


PLUS+




Atelier  
collection

I.C.A.M.  
PANNELLI

# UNI PLUS<sup>+</sup>



751



754



2651



2652




1596



1190



1038



2653




1193



1192



1073



1079



1411



1023



1397




202



6084



6089



6097



6099



5064



5065



5066



5071




5072

# LUCIDI




751



1411




1027



1038




1397




202




1185



1079




6084



6089



6097



6099

	244X122	305X130	420X130	420X161
<b>UNI PLUS+</b>				
751	●	●	●	●
754	●	●	●	●
2651		●	●	●
2652		●	●	●
1596	●	●	●	●
1190	●	●	●	
1038	●	●	●	
2653		●	●	●
1193	●	●	●	
1192	●	●	●	
1073	●	●	●	
1079	●	●	●	
1411	●	●	●	●
1023	●	●	●	●
1397	●	●	●	●
202	●	●	●	●
<b>STONE PLUS+</b>				
6099	●	●	●	●
6097	●	●	●	●
6089	●	●	●	●
6084	●	●	●	●
<b>MET PLUS+</b>				
5064	●	●	●	
5065	●	●	●	
5066	●	●	●	
5071	●	●	●	
5072	●	●	●	
<b>LUCIDI</b>				
751	●	●	●	●
1411	●	●	●	●
1027	●	●	●	●
1038	●	●	●	
1397	●	●	●	●
202	●	●	●	●
1185	●	●	●	
1079	●	●	●	

● disponibile a magazzino con film protettivo  
● solo su ordinazione

# PLUS+



Disponibile su tutta la collezione  
Available on all the collection  
Disponible sur toute la collection



Postformabile  
Postforming  
Postoformable



Super opaco  
Ultramatt  
Ultramate




Anti-impronta  
Anti-fingerprint  
Anti-traces de doigt



Morbido al tatto  
Soft touch  
Touché doux



Idoneo al contatto con alimenti  
Compatible with food contact  
Contact alimentaire



Disponibile in tutti i formati  
Available on all dimensions  
Disponible en tuote les dimensions



Resistenza al graffio  
Scratch resistance  
Résistance à la rayure



Riparabilità al micrograffio  
Microscratch repairability  
Réparabilité des micro-rayures